

San Jose, CA 95113

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspfo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/006,066	12/06/2001	Andrew T.H. Lin	7009-018	9047
7	7590 08/30/2004		EXAMINER	
John F. Schipper, Esq. Suite 808			TAMAI, KARL I	
111 N. Market Street			ART UNIT	PAPER NUMBER

2834 . DATE MAILED: 08/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed <u>07-27-2004</u> have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.
Figures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figure 2 is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.
Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)
Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division Customer Service: 703-308-6789 1-888-786-0101

FORM PTO-1631 (REV. 10-03)